UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/812,608	03/30/2004	Mohammed N. Islam	074036.0133	3187
5073 BAKER BOTT	7590 01/28/200 S L.L.P.	EXAMINER		
2001 ROSS AV	ENUE	HELLNER, MARK		
SUITE 600 DALLAS, TX 75201-2980			ART UNIT	PAPER NUMBER
			3663	
			NOTIFICATION DATE	DELIVERY MODE
			01/28/2008	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ptomail1@bakerbotts.com glenda.orrantia@bakerbotts.com

	Application No.	Applicant(s)
	10/812,608	ISLAM, MOHAMMED N.
Office Action Summary	Examiner	Art Unit
	Mark Hellner	3663
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on <u>08 N</u>	action is non-final.  nce except for formal matters, pro	
Disposition of Claims		
4)	wn from consideration.  52-64 is/are rejected.	n.
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the I drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal F 6)  Other:	ate

Art Unit: 3663

## **DETAILED ACTION**

## Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-3, 5-17, 20, 21, 23-32, 36-39 and 52-64 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-28 of U.S. Patent No. 7,259,906. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1-28 recite structure that teaches the elements recited by the claims of the present application. The difference in the claims of the present application is that a first and second pump of differing wavelengths be input to a combiner before the combined signal is input to the wavelength shifter. Claims 1-28 of USPN 7,259,906 recite a pump laser. It was notoriously well known to use combined pumps to stimulate a Raman device for

Application/Control Number: 10/812,608 Page 3

Art Unit: 3663

purposes of redundancy or bandwidth expansion, thus allowing the recited pump laser to suggest the difference in the claims of the present application.

## Response to Arguments

Applicant's arguments with respect to claims 1-3, 5-17, 20, 21, 23-32, 36-39 and 52-64 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication should be directed to Mark Hellner at telephone number 571 272 6981.

/Mark Hellner/

Primary Examiner, Art Unit 3663